

| ENGINE                   | 4.6L-V8   | 5.7L-V8 <sup>1</sup>  |
|--------------------------|---|---|
| Type, Materials          | 4.6-liter DOHC EFI with 32-<br>valve aluminum alloy head with<br>Dual VVT-i | 5.7-liter DOHC EFI V8,<br>aluminum block with 32- valve<br>aluminum alloy head with Dual<br>VVT-i |
| Displacement             | 4,608 cc  | 5,663 cc  |
| Bore x Stroke            | 3.70 x 3.30 in.   | 3.70 x 4.02 in.   |
| Compression Ratio        | 10.2:1  | 10.2:1  |
| Horsepower               | 310 hp @ 5,600 rpm  | 381 hp @ 5,600 rpm  |
| Torque                   | 327 lb-ft @ 3,400 rpm   | 401 lb-ft @ 3,600 rpm   |
| Ignition System          | DIS (Direct)  | DIS (Direct)  |
| Fuel System              | EFI   | EFI   |
| Recommended Fuel         | 87-octane or higher   | 87-octane or higher<br>(E85 capable) <sup>1</sup>   |
| Emission Certification   | LEV 2 ULEV I / TIER3 BIN 125  | LEV 3 ULEV 70 / TIER 3 BIN 70   |
| Grade Models             |   |   |
| SR Double Cab 4x2        | Available   | Available <sup>1</sup>  |
| SR Double Cab 4x4        | Available   | Available <sup>1</sup>  |
| SR5 Double Cab 4x2       | Available   | Available <sup>1</sup>  |
| SR5 Double Cab 4x4       | Available   | Available <sup>1</sup>  |
| SR5 CrewMax 4x2          | Available   | Available <sup>1</sup>  |
| SR5 CrewMax 4x4          | Available   | Available <sup>1</sup>  |
| Limited Double Cab 4x2   | N/A   | Standard <sup>1</sup>   |
| Limited Double Cab 4x4   | N/A   | Standard <sup>1</sup>   |
| Limited CrewMax 4x2      | N/A   | Standard <sup>1</sup>   |
| Limited CrewMax 4x4      | N/A   | Standard <sup>1</sup>   |
| Platinum CrewMax 4x2     | N/A   | Standard <sup>1</sup>   |
| Platinum CrewMax 4x4     | N/A   | Standard <sup>1</sup>   |
| 1794 Edition CrewMax 4x2 | N/A   | Standard <sup>1</sup>   |
| 1794 Edition CrewMax 4x4 | N/A   | Standard <sup>1</sup>   |
| TRD Pro CrewMax 4x4      | N/A   | Standard <sup>1</sup>   |

| EPA Estimated Fuel Economy  |          |          |  |
|-----------------------------|----------|----------|--|
| (city/highway/combined MPG) |          |          |  |
| 4x2                         | 15/19/16 | 13/18/15 |  |
| 4x4                         | 14/18/16 | 13/17/15 |  |

<sup>\*2019</sup> EPA MPG Estimates. Actual mileage will vary.



| DRIVETRAIN         | 4.6L-V8  | 5.7L-V8   |  |  |  |  |
|--------------------|--|---|--|--|--|--|
| Layout             | 4x2 front engine with rear-wheel drive with Automatic Limite<br>Slip Differential; 4x4 front engine with 4WDemand part-time<br>4WD w/electronically controlled transfer case, Active Tractio<br>Control (A-TRAC) and Automatic Limited-Slip Differential<br>(Auto LSD) |   |  |  |  |  |
| Transmission Type  | intelligence (EC   | onically Controlled automatic Transmission with CT-i), sequential shift mode and uphill/downhill //HAUL mode (5.7L V8 only) |  |  |  |  |
| Gear Ratios        |  |   |  |  |  |  |
| 1 <sup>st</sup>    | 3.52   | 3.33  |  |  |  |  |
| 2 <sup>nd</sup>    | 2.04   | 1.96  |  |  |  |  |
| 3 <sup>rd</sup>    | 1.40   | 1.35  |  |  |  |  |
| 4 <sup>th</sup>    | 1.00   | 1.00  |  |  |  |  |
| 5 <sup>th</sup>    | 0.72   | 0.73  |  |  |  |  |
| 6 <sup>th</sup>    | 0.59   | 0.59  |  |  |  |  |
| Reverse            | 3.22   | 3.06  |  |  |  |  |
| Differential Ratio | 3.91   | 4.30 (w/tow package)  |  |  |  |  |

| Transfer Case (high/low) |             |             |  |
|--------------------------|-------------|-------------|--|
| SR Double Cab 4x4        | 1.000/2.640 | 1.000/2.640 |  |
| SR5 Double Cab 4x4       | 1.000/2.640 | 1.000/2.640 |  |
| SR5 Double Cab 4x4 (FFV) |             | 1.000/2.640 |  |
| SR5 CrewMax 4x4          | 1.000/2.640 | 1.000/2.640 |  |
| SR5 CrewMax 4x4 (FFV)    |             | 1.000/2.640 |  |
| Limited CrewMax 4x4      |             | 1.000/2.640 |  |
| Platinum CrewMax 4x4     |             | 1.000/2.640 |  |



| CHASSIS AND BODY                                   |  |   |                           |                    |  |  |  |  |  |
|--|--|---|---------------------------|--------------------|--|--|--|--|--|
| Suspension   | - Front  | Independent high-mou with stabilizer bar and le   |                           |                    |  |  |  |  |  |
|  |  | Independent TRD coil-spring high-mounted double-wishbone suspension with a 2-inch lift with stabilizer bar and TRD Fox from shock absorbers with piggyback reservoir (TRD Pro only) |                           |                    |  |  |  |  |  |
|  | - Rear   | Live axle with trapezoid pressure nitrogen gas s  |                           | ooard-mounted low- |  |  |  |  |  |
|  | ixeai  | Live axle with trapezoid outboard-mounted TRD reservoirs (TRD Pro only  | Fox shock absorbers w     |                    |  |  |  |  |  |
|  | -Stabilizer Bar<br>Diameter                    | 1.42 in.  |                           |                    |  |  |  |  |  |
| Steering<br>(4x2/4x4)                              | - Type   | Rack-and-pinion hydrau  | ulic power steering w/flu | uid cooler         |  |  |  |  |  |
| (4,2,4,4)  | - Overall Ratio                                | 18.1/18.1   |                           |                    |  |  |  |  |  |
|  | - Turns (lock to lock)                         | 3.71  |                           |                    |  |  |  |  |  |
|  | - Turning Circle<br>Diameter (curb to<br>curb) | 44.0 ft. (Double Cab Sta<br>49.0 ft. (Double Cab Lor  | •                         |                    |  |  |  |  |  |
| Brakes   | - Front  | Opposed 4-piston calip  | ers, ventilated disc/13.9 | in.                |  |  |  |  |  |
|  | - Rear   | 78.4 sq. in. each side, to  | otal 156.8 in. per rotor  |                    |  |  |  |  |  |
|  | - Stabilizer Bar<br>Diameter                   | 1.42 in.  |                           |                    |  |  |  |  |  |
| Wheel Size   |  |   |                           |                    |  |  |  |  |  |
| -SR, SR5   | . 4704   | 18. x 8 in.   |                           |                    |  |  |  |  |  |
| -Limited, Plat                                     |  | 20 x 8 in.  | <b>5</b> 1                | 4=0.4 = 1          |  |  |  |  |  |
|  | SR/SR5   | Limited   | Platinum                  | 1794 Edition       |  |  |  |  |  |
| Standard Wheel<br>Type, Material, and<br>Tire Size | 18 in. Styled Steel<br>Wheel, P255/70R18       |   |                           |                    |  |  |  |  |  |
| THE SIZE   | vvilleet, PZ35//URT8                           | Alloy P275/55R20  | Alloy P275/55R20          | Alloy P275/55R20   |  |  |  |  |  |



| EXTERIOR DIMENSIONS (inches)                            | 4x2<br>Double Cab                                    | 4x2<br>CrewMax                   | 4x4<br>Double Cab                   | 4x4<br>CrewMax                              |
|---|--|----------------------------------|-------------------------------------|---|
| Wheelbase (Short<br>bed/Long Bed                        | NA / 164.6   | 145.7 / NA                       | NA / 164.6                          | 145.7 / NA                                  |
| Overall Length (Short bed/Long Bed)                     | NA / 247.8   | 228.9 / NA                       | NA / 247.8                          | 228.9 / NA                                  |
| Overall Width (Max.)                                    | 79.9   | 79.9                             | 79.9                                | 79.9  |
| Overall Height (Max.)                                   | 76.0   | 75.8                             | 76.4                                | 76.2<br>77.2 (TRD Pro)                      |
| Inside Bed Length                                       | NA / 97.6  | 66.7 / NA                        | NA / 97.6                           | 66.7 / NA                                   |
| Inside Bed Depth  | 22.2   | 22.2                             | 22.2                                | 22.2  |
| Inside Bed Width (in.) - Tailgate - Between Wheel Wells | 66.4<br>50.0   | 66.4<br>50.0                     | 66.4<br>50.0                        | 66.4<br>50.0                                |
| Track (Front/Rear)                                      | 67.9/67.9  | 67.9/67.9                        | 67.9/67.9                           | 67.9/67.9                                   |
| Ground Clearance (in.)                                  | 10.4<br>(4.6L SR/SR5; 5.7L<br>SR5 and SR STD<br>bed) | 10.0<br>(5.7L LTD)               | 10.4<br>(5.7L LTD)                  | 10.4<br>(5.7L LTD,<br>Platinum and<br>1794) |
|   | 10.2 (5.7L LTD, SR5,<br>and SR long bed)             | 10.2 (4.6L SR5; 5.7L<br>SR5)     | 10.6 (4.6L SR and<br>SR5; 5.7L SR5) | 10.6 (TRD Pro)                              |
|   |  | 10.4 (5.7L Platinum<br>and 1794) |                                     |   |
| Coefficient of Drag                                     | 0.37   | 0.37                             | 0.38                                | 0.38  |
| Angle of Approach/<br>Departure                         | 26/16  | 26/16                            | 26/16<br>(SR5/Limited)              | 26/17<br>(SR5)                              |
|   |  |                                  | 26/17<br>(SR5 Long Bed)             | 26/16<br>(LTD/Platinum/<br>1794 Edition)    |
|   |  |                                  |                                     | 31/17 (TRD Pro)                             |
| INTERIOR DIMENSIONS                                     | (in.)  |                                  |                                     |   |
| Seating Capacity  | *5,6   | *5,6                             | *5,6                                | *5,6  |
| Headroom (Front/Rear)                                   | 39.7/38.7  | 39.7/38.9                        | 39.7/38.7                           | 39.7/38.9                                   |
| Legroom (Front/Rear)                                    | 42.5/34.7  | 42.5/42.3                        | 42.5/34.7                           | 42.5/42.3                                   |
| Shoulder Room (Front/Rear                               | 65.7/65.6  | 65.7/65.5                        | 65.7/65.6                           | 65.7/65.5                                   |
| Hip Room (Front/Rear)                                   | 62.6/61.6  | 62.6/60.4                        | 62.6/61.6                           | 62.6/60.4                                   |

<sup>\*5=</sup> bucket seats 6 = bench seats



| WEIGHTS AND CAPACITIES (LBS.)                             | 4x2<br>Double Cab                                    | 4x2<br>CrewMax  | 4x4<br>Double Cab               | 4x4<br>CrewMax   |  |  |  |  |  |
|---|--|---|---------------------------------|--|--|--|--|--|--|
| Curb Weight   |  |   |                                 |  |  |  |  |  |  |
| 4.6-liter V8<br>(5.5-ft. short bed)                       | NA   | 5,240   | NA                              | 5,560  |  |  |  |  |  |
| 4.6-liter V8<br>(6.5-ft. std. bed)                        | 5,100 (SR, SR5)                                      | NA  | 5,410 (SR, SR5)                 | NA   |  |  |  |  |  |
| 5.7-liter V8<br>(8.1-ft. long bed)                        | 5,300 (SR, SR5)                                      | NA  | 5,600 (SR, SR5)                 | NA   |  |  |  |  |  |
| 5.7-liter V8<br>(6.5-ft. std. bed)                        | 5,170 (SR, SR5),<br>5,240 (LTD)                      | NA  | 5,470 (SR, SR5),<br>5,530 (LTD) | NA   |  |  |  |  |  |
| 5.7-liter V8 (5.5-ft. short bed)                          | NA   | 5,340 (SR5)<br>5,380 (LTD)<br>5,380 (Platinum,<br>1794) | NA                              | 5,640 (SR5)<br>5,680 (LTD),<br>5,670 (Platinum,<br>1794) |  |  |  |  |  |
| GVWR  | 6,700 - 7,000  | 6,800 - 7,000   | 6,900 – 7,200                   | 7,000 - 7,200  |  |  |  |  |  |
| Payload   | 1,600 – 1,730  | 1,560 – 1,660   | 1,490 – 1,630                   | 1,440 - 1,560  |  |  |  |  |  |
| Maximum V8 Towing   | 10,200 lbs.  | 10,100 lbs.   | 9,900 lbs.                      | 9,800 lbs.   |  |  |  |  |  |
| Maximum V8 Tongue   | 1,020 lbs.   | 1,010 lbs.  | 990 lbs.                        | 980 lbs.   |  |  |  |  |  |
| Gross Combined Weight Tow Rating (4x2 & 4x4 with Package) | 16,000 lbs.  | 16,000 lbs.   | 16,000 lbs.                     | 16,000 lbs.  |  |  |  |  |  |
| • •   | .0 gal. (Limited, Platinu<br>.4 gal. (SR5 and SR gra |   | ) Pro), Available on S          | SR5  |  |  |  |  |  |
| Engine Oil 7.   | 9 qt. (4.6-liter, 5.7-liter                          | )   |                                 |  |  |  |  |  |  |
| 13  |  |   |                                 |  |  |  |  |  |  |

<sup>\*</sup> Per SAE J2807 Methodology



Note: All specs for both 4x2 and 4x4 unless otherwise noted.

#Tundra, #TRD, #TRDpro

S = Standard equipment

O = Standalone option

P = Available via applicable

packages

P1 = Part of package on 4x2 only

--- = not available

 $S^1$  = Standard on 4X4 Only

 $S^2$  = Standard on 4x4 only and part of package on 4x2

| EXTERIOR FEATURES   | SR<br>Double | SR5<br>Double | Limited<br>Double | SR5<br>CrewMax | TRD<br>Pro |   | Platinum<br>CrewMax | 1794<br>Edition<br>CrewMa |
|---|--------------|---------------|-------------------|----------------|------------|---|---------------------|---------------------------|
| LED headlights with LED accent lights, with manual level controls and auto on/off feature                                 |              | Р             | S                 | Р              | S          | S | S                   | S                         |
| Halogen headlights with<br>LED accent lights, with<br>Black Sport Trim with<br>manual level control and<br>on/off feature | S            | S             |                   | S              |            |   |                     |                           |
| Halogen fog lights  |              | S             |                   | S              |            |   |                     |                           |
| Gray grille with gray surround  | S            |               |                   |                |            |   |                     |                           |
| Gray grille with chrome surround and chrome front bumper end caps   |              | S             |                   | S              |            |   |                     |                           |
| Silver grille with chrome<br>surround and chrome front<br>bumper end caps   |              |               | S                 |                |            | S |                     |                           |
| Black grille with color-keyed with color-keyed front bumper   |              |               |                   |                |            |   | S                   |                           |
| Chrome grille with chrome end caps  |              |               |                   |                |            |   |                     | S                         |
| "TOYOTA" grille with color-<br>keyed grille surround and color-<br>keyed end caps   |              |               |                   |                | S          |   |                     |                           |
| Chrome rear bumper  |              | S             | S                 | S              |            | S |                     |                           |
| Color-keyed rear bumper   |              | Р             | Р                 | Р              | S          | Р | S                   | S                         |
| Deck rail and tailgate caps   | S            | S             | S                 | S              | S          | S | S                   | S                         |



| Tail and stoplights with dual vortex generators   | S | S | S | S | S | S | S | S |
|---|---|---|---|---|---|---|---|---|
| Black heated, power, outside mirrors  | S | S |   | S |   |   |   |   |
| Color-keyed heated power outside mirrors  |   |   |   |   | S |   |   |   |
| Chrome heated power outside mirrors   |   |   | S |   |   | S |   |   |
| Chrome, heated, power and auto-<br>dimming outside mirrors with turn<br>signal and blind spot warning<br>indicators, and power-folding and<br>memory feature      | - |   |   |   |   |   | S | S |
| Heated power outside tow<br>mirrors with integrated blind<br>spot mirrors, turn signal<br>indicators, and manual-extend<br>and -folding feature (5.7L V8<br>only) | 0 | 0 | 0 | 0 |   | 0 |   |   |
| Power tilt/slide moonroof with sliding sunshade (Deletes overhead console with storage area)  |   |   |   |   | S | 0 | 0 | 0 |
| 18-inch styled steel wheels with P255/70R18   | S | S |   | S |   |   |   |   |
| 18-inch 5-spoke alloy wheels with P275/65R18  |   | 0 |   | 0 |   |   |   |   |
| 18-inch split 5-spoke TRD Off-Road<br>Package alloy wheels and<br>P275/65R18 all-terrain tires  |   | Р | Р | Р |   | Р |   | Р |
| 18-inch split 5-spoke black wheels with P255/70R18  |   | Р |   |   |   |   |   |   |
| 18-inch BBS forged-aluminum TRD<br>Pro allow wheels with P275/65R18<br>tires  |   |   |   |   | S |   |   |   |
| 20-inch Limited Grade split 5-<br>spoke wheel with P275/55R20<br>tires  |   |   | S |   |   | S |   |   |
| 20-inch Premium 6-spoke wheel<br>with machined spokes and<br>P275/55R20 tires   |   |   |   |   |   |   | S | S |



| 20-in. premium 6-spoke TRD Sport<br>Package wheels and P275/55R20<br>tires      |    | Р  |    | Р  |   |    |    |    |
|---|----|----|----|----|---|----|----|----|
| 20-inch 6-spoke Chrome Clad<br>wheels with P275/55R20 tires                     |    |    |    |    |   |    |    | 0  |
| Two-speed windshield wipers   | S  |    |    |    |   |    |    |    |
| Variable intermittent windshield wipers (not available with Work Truck Package) |    | S  | S  | S  | S | S  | S  | S  |
| Windshield wiper de-icer  | S  | S  | S  | S  | S | S  | S  | S  |
| High Solar Energy-Absorbing<br>(HSEA) glass                                     | S  | S  | S  | S  | S | S  | S  | S  |
| Easy lower and lift tailgate  | S  | S  | S  | S  | S | S  | S  | S  |
| Front and rear mudguards  | S  | S  | S  | S  | S | S  | S  | S  |
| Front tow hooks   | S1 | S2 | S2 | S2 | S | S2 | S2 | S2 |
| Skid plate on engine, fuel tank   |    | Р  | Р  | Р  |   | Р  |    | Р  |
| TRD front skid plate  |    |    |    |    | S |    |    |    |
| TRD Sport front and rear TRD<br>Bilstein shocks and anti-sway bar               |    | Р  |    | Р  |   |    |    |    |
| TRD Pro front and rear TRD Fox shocks with remote reservoirs                    |    |    |    |    | S |    |    |    |
| Chrome "5.7L i-FORCE V8" engine badge (driver and front passenger door)         | S  | S  | S  | S  |   | S  |    |    |
| Chrome "PLATINUM" badge (driver and front passenger door)                       |    |    |    |    |   |    | S  |    |
| Chrome "1794 EDITION" badge<br>(driver and front passenger door)                |    |    |    |    |   |    |    | S  |
| Chrome "TUNDRA" badge (driver and front passenger door)                         | S  | S  | S  | S  |   | S  |    |    |
| Black "5.7L i-FORCE V8" engine<br>badge (driver and front passenger<br>door)    |    |    |    |    | S |    |    |    |
| Black 4x4 badge (lower left portion of tailgate)                                |    |    |    |    | S |    |    |    |
| Black "TUNDRA" badge (driver and front passenger door)                          |    |    |    |    | S |    |    |    |



Note: All specs for both 4x2 and 4x4 unless otherwise noted.

#Tundra, #TRD, #TRDpro

| INTERIOR FEATURES  | SR<br>Double | SR5<br>Double | Limited<br>Double | SR5<br>CrewMax | TRD<br>Pro |   | Platinum<br>CrewMax | 1794<br>Edition |
|--|--------------|---------------|-------------------|----------------|------------|---|---------------------|-----------------|
| Air conditioning with dust and pollen air filter and single temperature setting for driver and front passenger   | S            | S             |                   | S              | S          |   |                     |                 |
| Dual zone automatic climate control with dust and pollen filter and individual temperature settings for driver and front passenger   |              |               | S                 |                |            | S | S                   | S               |
| Integrated backup camera   | S            | S             | S                 | S              | S          | S | S                   | S               |
| Vinyl 40/20/40 split fold-down<br>front bench seat; 4-way<br>adjustable driver's seat; 4-way<br>adjustable front passenger bench<br>seat   | Р            |               |                   |                |            |   |                     |                 |
| Fabric-trimmed 40/20/40 split<br>fold-down front bench seat; 4-<br>way adjustable driver's seat; 4-way<br>adjustable front passenger<br>bench seats  | S            | S             |                   | S              |            |   |                     |                 |
| Fabric-trimmed front bucket<br>seats; 8-way power-adjustable<br>driver's seat with power lumbar<br>support; 4-way adjustable front<br>passenger seat                                       |              | Р             |                   | Р              |            |   |                     |                 |
| Leather-trimmed and heated front bucket seats; 10-way power-adjustable driver's seat with power lumbar support; 4-way power-adjustable front passenger seat                                |              |               | S                 |                |            | S |                     |                 |
| Black TRD Pro leather-trimmed<br>front bucket seats with red<br>contrast stitching and TRD Pro<br>logo; 10-way power-adjustable<br>driver's seat; 4-way adjustable<br>front passenger seat |              |               |                   |                | S          |   |                     |                 |



| Perforated, leather-trimmed, heater and ventilated front bucket seats with embroidered upper back rests; 12-way power-adjustable driver's seat, which includes power thigh and lumbar support, and a 2-position memory function, and; 6-way power-adjustable front passenger seat with lumbar support |   |   |   |   |   |   | S | S |
|---|---|---|---|---|---|---|---|---|
| 60/40 split, fold-up, rear seats  | S | S | S | S | S | S | S | S |
| Carpet flooring (not available with Work Truck Package)   | S | S | S | S |   | S |   |   |
| Carpet flooring and TRD Pro floor mats  |   |   |   |   | S |   |   |   |
| Carpet flooring and premium floor mats  |   |   |   |   |   |   | S | S |
| Heavy-duty all-weather flooring and floor mats  | Р |   |   |   |   |   |   |   |
| Cruise control  | S | S | S | S | S | S | S | S |
| Urethane tilt 4-spoke steering wheel with Bluetooth® [Bluetooth] hands-free phone, voice-command, Dynamic Radar Cruise Control (DRCC), Lane Departure Alert (LDA) controls, and column shifter  | S | S |   | S |   |   |   |   |
| Urethane tilt/telescopic 4-spoke steering wheel with audio, Bluetooth® [Bluetooth] hands- free phone, voice-command, Dynamic Radar Cruise Control (DRCC), Lane Departure Alert (LDA) controls, and center console gated shift lever (front bucket seat only)  |   | Р |   | Р | S |   |   |   |
| TRD shift knob  |   | Р |   | Р | S |   |   |   |



| Note: All specs for both 4x2 and 4x4 unless otherwise noted. #Tundra, #TRD, #TRDpro  |   |   |   |   |   |   | ) i O |   |
|--|---|---|---|---|---|---|-------|---|
| Leather-trimmed tilt/telescopic<br>4-spoke steering wheel with<br>audio, Bluetooth® [Bluetooth]<br>hands-free phone, voice-<br>command, Dynamic Radar Cruise<br>Control (DRCC), Lane Departure<br>Alert (LDA) controls, and center<br>console gated shift lever  |   |   | S |   |   | S |       |   |
| Leather-trimmed tilt/telescopic 4-spoke steering wheel (with wood-grain-style accents - 1794 only), memory function and audio, Bluetooth® [Bluetooth] hands-free phone, voice- command, Dynamic Radar Cruise Control (DRCC), Lane Departure Alert (LDA) controls, and center console gated shift lever |   |   |   |   |   |   | S     | S |
| 4.2-inch TFT Multi-Information Display with odometer, outside temperature, fuel economy, cruising range, average speed, trip distance with timer, and TPMS; shift position indicator   | S | S | S | S | S | S | S     | S |
| Power windows with driver-side one-touch auto down, power door locks with shift-linked automatic lock/unlock feature, remote keyless entry system with lock, unlock and panic functions (not available with Work Truck Package), cab illuminated entry system, and one-touch auto start                | S |   |   |   |   |   |       |   |
| Power windows with driver-side one-touch auto down, power door locks with shift-linked automatic lock/unlock feature and programmable auto door lock logic, remote keyless entry system with lock, unlock and panic functions, cab and footwell illuminated entry system, and one-touch auto start     |   | S | S | S | S | S |       |   |



| Power windows with driver and front passenger one-touch auto up/down, power door locks with shift-linked automatic lock/unlock feature and programmable auto door lock logic, remote keyless entry system with lock, unlock and panic functions, cab, footwell, and ignition key illuminated entry system, and one-touch auto start |   |   | Р |   |   | Р | S | S |
|---|---|---|---|---|---|---|---|---|
| Sliding horizontal rear window with privacy glass   |   | S |   |   |   |   |   |   |
| Power horizontal sliding rear window with privacy glass   |   |   | S |   |   |   |   |   |
| Power vertical sliding rear window with defogger and privacy glass  |   |   |   | S | S | S | S | S |
| Auto-dimming rearview mirror with compass, and HomeLink® universal transceiver  |   | S |   | S |   |   |   |   |
| Auto-dimming rearview mirros<br>with HomeLink® universal<br>transceiver   |   |   | S |   | S | S | S | S |
| Overhead console with sunglass storage  |   |   |   | S |   | S | S | S |
| Fixed center console with covered storage compartments, and second-row vents (front bucket seats only)  |   | Р | S | Р | S | S | S | S |
| Rear under-seat storage compartment (Double Cab Only)   |   | S | S |   |   |   |   |   |
| Two front and one rear 12V auxiliary power outlets  | S | S | S | S | S | S | S | S |
| Front and rear maplights  | S | S | S | S | S | S | S | S |
| Four front cup holder, four front bottle holders  |   |   |   |   |   |   |   |   |



| Four front and two rear cup<br>holders, four front and two rear<br>bottle holders (three front cup<br>holders on Limited)  | S | S | S |   |   |   |   |   |
|--|---|---|---|---|---|---|---|---|
| Four front and two rear cup<br>holders, four front and four rear<br>bottle holders (three front cup<br>holders on Limited, Platinum,<br>1794 Edition, and TRD Pro) |   |   |   | S | S | S | S | S |

| SAFETY AND SECURITY  | SR<br>Double | SR5<br>Double | Limited<br>Double | SR5<br>CrewMax | TRD<br>Pro | Limited<br>CrewMax | Platinum<br>CrewMax | 1794<br>Edition<br>CrewMax |
|--|--------------|---------------|-------------------|----------------|------------|--------------------|---------------------|----------------------------|
| Toyota Safety Sense™ P (TSS-P) - Pre-Collision System with Pedestrian Detection [PCS w/PD], Lane Departure Alert [LDA] with Sway Warning System (SWS), Automatic High Beams [AHB] and Dynamic Radar Cruise Control [DRCC]                      | S            | S             | S                 | S              | S          | S                  | S                   | S                          |
| Star Safety System™ — includes<br>Vehicle Stability Control (VSC),<br>Traction Control (TRAC), Anti-<br>lock Brake System (ABS) with<br>Electronic Brake-force<br>Distribution (EBD), Brake Assist<br>(BA) and Smart Stop Technology<br>(SST). | S            | S             | S                 | S              | S          | S                  | S                   | S                          |
| 8 airbags  | S            | S             | S                 | S              | S          | S                  | S                   | S                          |
| Driver and front outboard passenger Advanced Airbag System   | S            | S             | S                 | S              | S          | S                  | S                   | S                          |
| Driver and front outboard<br>passenger seat-mounted side<br>airbags, driver and front<br>passenger knee airbags and<br>front and rear Roll-sensing Side<br>Curtain Airbags (RSCA)  | S            | S             | S                 | S              | S          | S                  | S                   | S                          |



| 3-point seatbelts for all seating positions; driver-side Emergency Locking Retractor (ELR) and Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts       | S | S | S | S | S | S | S | S |
|---|---|---|---|---|---|---|---|---|
| Driver and front passenger seatbelt pretensioners with force limiters   | S | S | S | S | S | S | S | S |
| LATCH (Lower Anchors and<br>Tethers for Children) includes<br>lower anchors on outboard rear<br>seats and tether anchor on rear<br>center seat                                  | S | S | S | S | S | S | S | S |
| Child protector rear door locks (Double Cab and CrewMax only)   | S | S | S | S | S | S | S | S |
| Tire Pressure Monitor System (TPMS)   | S | S | S | S | S | S | S | S |
| Front and rear parking assist sonar   |   | Р | Р | Р |   | Р | S | S |
| Blind Spot Monitor, Rear Cross<br>Traffic Alert (BSM with RCTA) and<br>color-keyed rear bumper  |   | Р | Р | Р |   | Р | S | S |
| Integrated trailer brake controller with multi-information display monitoring screen and trailer brake type, gain, and manual trailer brake output controls (5.7-liter V8 only) | Р | Р | S | Р | S | S | S | S |
| Trailer-Sway Control  | S | S | S | S | S | S | S | S |
| Anti-theft system and engine immobilizer  | S | S |   | S | S |   |   |   |

| STANDALONE OPTIONS                                  | SR<br>Double | SR5<br>Double | Limited<br>Double | SR5<br>CrewMax | TRD<br>Pro | Limited<br>CrewMax | Platinum<br>CrewMax | Edition |
|---|--------------|---------------|-------------------|----------------|------------|--------------------|---------------------|---------|
| Anti-theft system with alarm and engine immobilizer |              | Р             | S                 | Р              | S          | S                  |                     |         |
| 18-in. 5-spoke alloy wheels with P275/65R18 tires   |              | 0             |                   | 0              |            |                    |                     |         |



| 20-in. 6-spoke chrome clad<br>wheel with P275/55R20 tires  |                |                |                |                |   |                |   | 0 |
|--|----------------|----------------|----------------|----------------|---|----------------|---|---|
| Deck Rail System with four adjustable tie-down cleats  | 0              | 0              | S              | 0              | S | S              | S | S |
| Heated power outside tow<br>mirrors with turn signal indicators<br>and manual-extend feature (5.7L<br>V8 only; N/A-BSM & RCTA) | o <sup>2</sup> | o <sup>2</sup> | o <sup>2</sup> | o <sup>2</sup> |   | o <sup>2</sup> |   |   |
| Running boards   | 0              | 0              | 0              | 0              |   | 0              | 0 | 0 |
| Power tilt/slide moonroof with sliding sunshade  |                |                |                |                | S | 0              | 0 | 0 |

| PACKAGES  | SR<br>Double | SR5<br>Double | Limited<br>Double | TRD<br>Pro | SR5<br>CrewMax | Limited<br>CrewMax | Platinum<br>CrewMax | 1794<br>Edition<br>CrewMax |
|---|--------------|---------------|-------------------|------------|----------------|--------------------|---------------------|----------------------------|
| SX PACKAGE: Color-keyed front grille surround, bumper end caps, rear bumper; 18-inch black alloy wheels; no exterior i-Force, Tundra and 4x4 exterior badging; front bucket seats (graphite interior color only)  | -            | 0             | -                 | -          |                |                    |                     |                            |
| TRD OFF-ROAD PACKAGE: Upgrades standard wheels to 18" split 5-spoke TRD Off-Road Package alloy wheels and all- terrain P275/65R18 tires. Includes trail-tuned Bilstein shock absorbers, engine skid plate, fuel tank skid plate, front tow hooks (on 4x2 models; standard on all 4x4 models), LED headlights and LED fog lights (on SR5 Models Only), TRD Off Road floor mats (on SR5 and Limited Models Only), and bed side TRD Off- Road decal. |              | 0             | 0                 |            | 0              | 0                  |                     | 0                          |



| TRD SPORT PACKAGE: Upgrades standard wheels to 20" 6-spoke TRD Sport Package alloy wheels and P275/55R20 tires. Includes sport-tuned Bilstein shock absorbers, TRD front & rear antisway bars, color keyed grille surround, mirror caps, front and rear bumpers, LED headlights and LED fog lights, TRD Sport floor mats, TRD shift knob, and bedside TRD Sport decal (Requires SR5 Upgrade Package)                          | <br>0 | <b></b> | <br>0 |   | <br> |
|---|-------|---------|-------|---|------|
| TRD SPORT CONVENIENCE PACKAGE: Includes front and rear parking assist sonar, Blind Spot Monitor, and Rear Cross Traffic Alert (requires TRD Sport Package)  | <br>0 |         | <br>0 |   | <br> |
| LIMITED PREMIUM PACKAGE: Includes front and rear parking assist sonar, Blind Spot Monitor, and Rear Cross Traffic Alert (upgrades to color-keyed rear bumper), with additional convenience features, including: power windows with driver and front passenger auto up and down; cab, footwell, and ignition key illuminated entry system; and an anti-theft system with alarm, glass breakage sensor, and engine immobilizer. | <br>  | 0       | <br>  | 0 | <br> |
| CONVENIENCE PACKAGE: Includes front and rear parking assist sonar, Blind Spot Monitor (BSM), and Rear Cross Traffic Alert (RCTA) (upgrades to color- keyed rear bumper; requires SR5 Upgrade Package on SR5 models)   | <br>0 |         | <br>0 |   | <br> |



Note: All specs for both 4x2 and 4x4 unless otherwise noted. #Tundra, #TRD, #TRDpro

| SR5 UPGRADE PACKAGE: Adds larger 38-gallon fuel tank (5.7L V8 only), replaces front bench seating with front bucket seats with power driver seat with power lumbar support, adds front center console with floor mounted urethane shift lever and knob, tilt and telescoping urethane steering wheel, 3 front cup holders, and an anti-theft system with alarm and engine immobilizer. |   | 0 |   | 0    |   |   |   |
|--|---|---|---|------|---|---|---|
| Tow Package (5.7L V8 only): Towing receiver hitch, 4.30 axle ratio, TOW/HAUL mode switch, trailer brake controller, transmission fluid temperature gauge, supplemental engine oil cooler, supplemental transmission cooler, heavy-duty battery 170-amp alternator and 4/7-pin connector  | S | S | S | S    | S | S | S |
| Towing receiver hitch and 4/7-pin connector (4.6L V8 only)   | S | S |   | <br> |   |   |   |

#### Multimedia and Audio

#### Entune™ Audio (standard on SR grade)

Includes 6.1-in. touch-screen display, AM/FM CD player, six speakers, auxiliary port, USB media port, advanced voice recognition, hands-free phone capability, phone book access and music streaming via Bluetooth® wireless technology, and Siri® Eyes Free. See toyota.com/entune for details.

#### Entune™ Audio Plus (Standard on SR5 Double Cab, CrewMax)

Includes 7-in. high-resolution touch-screen display, AM/FM/HD Radio™, CD player, six speakers, auxiliary port, USB media port, advanced voice recognition, hands-free phone capability, phone book access and music streaming via Bluetooth® wireless technology, Scout® GPS Link compatible, Siri® Eyes Free, SiriusXM® Satellite Radio with 3-month All Access trial. See toyota.com/entune for details.

EntuneTM Premium Audio with Integrated Navigation and App Suite (Standard on Limited, TRD Pro) Includes 7-in. high-resolution touch-screen with split-screen display, AM/FM cache radio, HD Radio™, CD player, nine speakers (seven speakers on Double Cab), auxiliary port, USB media port, advanced voice recognition, hands-free phone capability, phone book access and music streaming via Bluetooth® wireless technology, Siri®Eyes Free, HD Radio™ Predictive Traffic and Doppler Weather overlay, SiriusXM® Satellite Radio with 3-month All Access trial. See toyota.com/entune for details.



Note: All specs for both 4x2 and 4x4 unless otherwise noted.

#Tundra, #TRD, #TRDpro

EntuneTM Premium JBL® Audio with Integrated Navigation and App Suite (Standard on Platinum, 1794) Includes 7-in. high-resolution touch-screen with split-screen display, AM/FM cache radio, HD Radio™, CD player, 12 JBL® speakers including subwoofer amplifier, auxiliary port, USB media port, advanced voice recognition, hands-free phone capability, phone book access and music streaming via Bluetooth® wireless technology, Siri ®Eyes Free, Entune® App Suite, HD Radio™ Predictive Traffic and Doppler Weather overlay, SiriusXM® Satellite Radio with 3-month All Access trial. See toyota.com/entune for details.

#### BASIC LIMITED WARRANTY COVERAGE

- 3-year/36,000-mile Comprehensive
- 5-year/60,000-mile Powertrain
- 5-year/unlimited-mileage Corrosion Perforation
- ToyotaCare Complimentary maintenance plan with the purchase or lease of every new Toyota. For 2 years or 25,000 miles, whichever comes first, every new Toyota will be covered for all normal factory scheduled service, as well as 24/7 roadside assistance.

#### **EXTERIOR COLORS**

- Super White
- Silver Sky Metallic
- Magnetic Gray Metallic
- Cement
- Midnight Black Metallic
- Barcelona Red Metallic
- Quicksand
- Cavalry Blue
- Smoked Mesquite
- Voodoo Blue (Exclusive to TRD Pro)