

# SILVERADO HD SPECIFICATIONS CONTINUED

SILVERADO HD SPECIFICATIONS			
ENGINES			
	VORTEC 6.0L V8 VVT (¾-ton/1-ton)	VORTEC 6.0L V8 VVT (¾-ton) Bi-fuel Compressed Natural Gas (CNG)	DURAMAX 6.6L TURBO-DIESEL V8 (¾-ton/1-ton)
FUEL TYPE	Gasoline (FlexFuel)	Gasoline/CNG	Diesel (B20 Biodiesel capable)
CAPACITY	6.0 liters (364 cu.in.)	6.0 liters (364 cu.in.)	6.6 liters (402 cu.in.)
SAE NET HORSEPOWER @ RPM	360@5400	301@5000	397@3000
SAE NET TORQUE (LB-FT) @ RPM	380@4200	333@4200	765@1600
ENGINE/MODEL AVAILABILITY			
Regular Cab	●	—	○
Double Cab	●	○	○
Crew Cab	●	○	○

SILVERADO HD SUSPENSIONS <sup>1</sup>					
FRONT SUSPENSIONS <sup>1</sup> INDEPENDENT TORSION BAR—2500HD/3500HD			REAR SUSPENSIONS <sup>1</sup> SEMI-ELLIPTICAL MULTILEAF—2500HD/3500HD-SRW/3500HD-DRW		
STANDARD FRONT AXLE/ CAPACITY (lbs)	2WD	4WD	REAR AXLE CAPACITY (lbs)	2WD	4WD
Regular Cab	4400/4400	4400/4400	Regular Cab	6200/7050/9825	6200/7050/9825
Double Cab	4400/4400	4400/4800	Double Cab	6200/7050/9375	6200/7050/9375
Crew Cab	4400/4400	4800/4800	Crew Cab	6200/7050/9375	6200/7050/9375
STANDARD FRONT SPRING CAPACITY (lbs)			REAR SPRING CAPACITY (lbs)		
Regular Cab	4400/4400	4400/4400	Regular Cab	6200/7050/9825	6200/7050/9825
Double Cab	4400/4400	4400/4800	Double Cab	6200/7050/9375	6200/7050/9375
Crew Cab	4400/4400	4800/4800	Crew Cab	6200/7050/9375	6200/7050/9375

KEY ● STANDARD ○ AVAILABLE — NOT AVAILABLE

<sup>1</sup>Capacities and weight ratings are dependent on model, engine, transmission and GVWR combinations. See your Chevrolet dealer for details.

# SILVERADO HD SPECIFICATIONS CONTINUED

## 2500HD/3500HD CONVENTIONAL TRAILER WEIGHT RATINGS<sup>1</sup> (LBS)

Model	Engine	Axle Ratio	GCWR <sup>2</sup>	2500HD Standard Box 2WD SRW	2500HD Long Box 2WD SRW	3500HD Standard Box 2WD SRW	3500HD Long Box 2WD SRW	3500HD Long Box 2WD DRW	2500HD Standard Box 4WD SRW	2500HD Long Box 4WD SRW	3500HD Standard Box 4WD SRW	3500HD Long Box 4WD SRW	3500HD Long Box 4WD DRW
Regular Cab	Vortec 6.0L V8	4.10	20,500	–	13,000	–	13,000	14,200	–	13,000	–	13,000	13,900
	Duramax 6.6L Turbo-Diesel V8	3.73	24,500	–	13,000	–	–	–	–	13,000	–	13,000	–
		3.73	30,500	–	–	–	–	–	–	–	–	–	16,000
Double Cab	Vortec 6.0L V8	4.10	20,500	13,000	13,000	–	13,000	13,800	13,000	13,000	–	13,000	13,500
	Duramax 6.6L Turbo-Diesel V8	3.73	24,500	13,000	13,000	–	13,000	–	13,000	13,000	–	13,000	–
		3.73	30,500	–	–	–	–	16,500	–	–	–	–	18,000
Crew Cab	Vortec 6.0L V8	4.10	20,500	13,000	13,000	13,000	13,000	13,700	13,000	13,000	13,000	13,000	13,300
	Duramax 6.6L Turbo-Diesel V8	3.73	24,500	13,000	13,000	13,000	13,000	–	13,000	14,500	13,000	15,000	–
		3.73	30,500	–	–	–	–	16,500	–	–	–	–	19,600

## 2500HD/3500HD FIFTH-WHEEL/GOOSENECK TRAILER WEIGHT RATINGS<sup>1</sup> (LBS)

Model	Engine	Axle Ratio	GCWR <sup>2</sup>	2500HD Standard Box 2WD SRW	2500HD Long Box 2WD SRW	3500HD Standard Box 2WD SRW	3500HD Long Box 2WD SRW	3500HD Long Box 2WD DRW	2500HD Standard Box 4WD SRW	2500HD Long Box 4WD SRW	3500HD Standard Box 4WD SRW	3500HD Long Box 4WD SRW	3500HD Long Box 4WD DRW
Regular Cab	Vortec 6.0L V8	4.10	20,500	–	14,800	–	14,600	14,200	–	14,500	–	14,300	13,900
	Duramax 6.6L Turbo-Diesel V8	3.73	24,500	–	17,900	–	–	–	–	17,600	–	17,500	–
		3.73	30,500	–	–	–	–	–	–	–	–	–	23,200
Double Cab	Vortec 6.0L V8	4.10	20,500	14,500	14,400	–	14,200	13,800	14,200	14,100	–	13,900	13,500
	Duramax 6.6L Turbo-Diesel V8	3.73	24,500	17,600	17,500	–	17,500	–	17,300	17,200	–	17,200	–
		3.73	30,500	–	–	–	–	23,000	–	–	–	–	22,800
Crew Cab	Vortec 6.0L V8	4.10	20,500	14,300	14,200	14,100	14,000	13,700	14,000	13,800	13,900	13,700	13,300
	Duramax 6.6L Turbo-Diesel V8	3.73	24,500	17,400	17,300	17,400	17,300	–	17,100	16,400	17,100	16,900	–
		3.73	30,500	–	–	–	–	22,900	–	–	–	–	22,600

<sup>1</sup>Maximum trailer weight ratings are calculated assuming a base vehicle, except for any option(s) necessary to achieve the rating, plus driver. The weight of other optional equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. See your Chevrolet dealer for additional details. <sup>2</sup>Gross Combined Weight Rating. When properly equipped, includes weight of the vehicle and trailer combination, including the weight of driver, passengers, fuel, optional equipment and cargo in the vehicle and trailer.

## 2500HD/3500HD AXLE RATINGS AND PLOW WEIGHTS (LBS)

### FRONT GROSS AXLE WEIGHT RATING (FGAWR) WITH SNOW PLOW PREP PACKAGE (4WD MODELS ONLY)

Model	Engine RPO	Engine Type	2500HD	3500HD SRW	3500HD DRW
Regular Cab	L96	Gas	5200	5600	5600
	LML	Diesel	6000	6000	6000
Double Cab Standard Box/Long Box	L96	Gas	5200/5600	–/5600	–/5600
	LML	Diesel	6000/6000	–/6000	–/6000
Crew Cab Standard Box/Long Box	L96	Gas	5200/5600	5600/5600	–/5600
	LML	Diesel	6000/6000	6000/6000	–/6000

### MAXIMUM PLOW WEIGHTS<sup>3</sup> (4WD MODELS ONLY)

Model	Engine RPO	Engine Type	2500HD	3500HD SRW	3500HD DRW
Regular Cab	L96	Gas	900	1000	1000
	LML	Diesel	975	975	925
Double Cab Standard Box/Long Box	L96	Gas	775/1000	–/1000	–/1000
	LML	Diesel	825/775	–/800	–/775
Crew Cab Standard Box/Long Box	L96	Gas	725/950	1000/950	–/925
	LML	Diesel	775/700	800/725	–/700

**SRW=Single Rear Wheel DRW=Dual Rear Wheel** NOTE: All models are capable of up to 100 lbs maximum of permanently attached snow plow mounting hardware. <sup>3</sup>Maximum weight (lbs) of removable snow plow blade and blade hardware. Maximum plow weights based on a vehicle with average manufacturer option content and 150 lbs each for driver and one additional front-seat occupant. Additional equipment and occupants will reduce maximum plow weight. Rear compensating weight may be required to maintain front axle weight below 65% of total vehicle weight when equipped with snow plow. Consult your snow plow manufacturer for specific compensating weight recommendation.

# SILVERADO HD SPECIFICATIONS CONTINUED

2500HD/3500HD MAXIMUM PAYLOAD <sup>1</sup>														
Model	Engine	GVWR <sup>2</sup>	2500HD Standard Box 2WD SRW	2500HD Long Box 2WD SRW	3500HD Standard Box 2WD SRW	3500HD Long Box 2WD SRW	3500HD Long Box 2WD DRW	2500HD Standard Box 4WD SRW	2500HD Long Box 4WD SRW	3500HD Standard Box 4WD SRW	3500HD Long Box 4WD SRW	3500HD Long Box 4WD DRW		
Regular Cab	Vortec 6.0L V8	9300	-	3760	-	-	-	-	-	-	-	-		
		9500	-	-	-	-	-	-	3633	-	-	-		
		10,400	-	-	-	4682	-	-	-	-	-	-		
		10,700	-	-	-	-	-	-	-	-	4660	-		
		13,400	-	-	-	-	-	-	-	-	-	6952		
		13,500	-	-	-	-	7374	-	-	-	-	-		
	Duramax 6.6L Turbo-Diesel V8	9900	-	3501	-	-	-	-	-	3174	-	-	-	
		11,400	-	-	-	-	-	-	-	-	-	4600	-	
		13,025	-	-	-	-	-	-	-	-	-	-	5817	
	Double Cab	Vortec 6.0L V8	9500	3671/3016 <sup>3</sup>	3559/2905 <sup>3</sup>	-	-	-	3379/2724 <sup>3</sup>	3274/2620 <sup>3</sup>	-	-	-	
10,700			-	-	-	4593	-	-	-	-	-	-		
11,000			-	-	-	-	-	-	-	-	4617	-		
13,025			-	-	-	-	6450	-	-	-	-	6170		
Duramax 6.6L Turbo-Diesel V8		10,000	3312	3200	-	-	-	3020	2915	-	-	-	-	
		11,200	-	-	-	4333	-	-	-	-	-	-	-	
		11,600	-	-	-	-	-	-	-	-	-	4457	-	
		13,025	-	-	-	-	5690	-	-	-	-	-	5410	
		Crew Cab	Vortec 6.0L V8	9500	3441/2786 <sup>3</sup>	3340/2685 <sup>3</sup>	-	-	-	3152/2493 <sup>3</sup>	-	-	-	-
				9900	-	-	-	-	-	-	3388/2733 <sup>3</sup>	-	-	-
10,500	-			-	4319	-	-	-	-	-	-	-		
10,700	-			-	-	4387	-	-	-	-	-	-		
10,800	-			-	-	-	-	-	-	4324	-	-		
11,000	-			-	-	-	-	-	-	-	4348	-		
13,025	-			-	-	-	6308	-	-	-	-	5965		
Duramax 6.6L Turbo-Diesel V8	10,000		3082	2981	-	-	-	2793	2628	-	-	-	-	
	11,100		-	-	4159	-	-	-	-	-	-	-	-	
	11,400		-	-	-	4327	-	-	-	-	-	-	-	
	11,500	-	-	-	-	-	-	-	4264	-	-	-		
	11,600	-	-	-	-	-	-	-	-	4188	-	-		
	13,025	-	-	-	-	5548	-	-	-	-	-	5205		

<sup>1</sup>Maximum payload capacity includes weight of driver, passengers, optional equipment and cargo. <sup>2</sup>Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. <sup>3</sup>Maximum payload capacity when equipped with the available Vortec 6.0L V8 CNG engine (LC8).