

# 2022 Stellantis Product Info



## 2022 Ram 2500 & 3500 Heavy Duty TOWING CHARTS

### RAM 2500 4X2 REGULAR CAB: TRADESMAN 8' BOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	3.73	10000	4010	5988	3400	2587	5500	6000	22000	15540
6.4L V-8 HEMI	A8 8HP75	4.10	10000	4010	5988	3400	2587	5500	6000	24200	17740
6.4L V-8 HEMI	A8 8HP75	3.73	9900	3910	5988	3400	2587	5500	6000	22000	15540
6.4L V-8 HEMI	A8 8HP75	4.10	9900	3910	5988	3400	2587	5500	6000	24200	17740
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	10000	3150	6850	4220	2629	5500	6000	27320	19990
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	9900	3050	6850	4220	2629	5500	6000	27320	19990

### RAM 2500 4X2 CREW CAB: TRADESMAN W/ RAMBOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	3.73	10000	3540	6456	3554	2902	5500	6000	22000	15070
6.4L V-8 HEMI	A8 8HP75	4.10	10000	3540	6456	3554	2902	5500	6000	24200	17270
6.4L V-8 HEMI	A8 8HP75	3.73	9900	3440	6456	3554	2902	5500	6000	22000	15070
6.4L V-8 HEMI	A8 8HP75	4.10	9900	3440	6456	3554	2902	5500	6000	24200	17270
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	10000	2660	7339	4367	2971	5500	6000	27700	19240
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	9900	2610	7293	4262	3031	5500	6000	27700	18820

# 2022 Stellantis Product Info



## RAM 2500 4X2 CREW CAB: TRADESMAN 6'4" BOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	3.73	10000	3660	6339	3560	2779	5500	6000	22000	15190
6.4L V-8 HEMI	A8 8HP75	4.10	10000	3660	6339	3560	2779	5500	6000	24200	17390
6.4L V-8 HEMI	A8 8HP75	3.73	9900	3560	6343	3559	2783	5500	6000	22000	15190
6.4L V-8 HEMI	A8 8HP75	4.10	9900	3560	6343	3559	2783	5500	6000	24200	17390
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	10000	2770	7229	4396	2832	5500	6000	27700	20000
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	9900	2680	7223	4386	2836	5500	6000	27700	20000

## RAM 2500 4X2 CREW CAB: TRADESMAN 8' BOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	3.73	10000	3530	6470	3684	2785	5500	6000	22000	15060
6.4L V-8 HEMI	A8 8HP75	4.10	10000	3530	6470	3684	2785	5500	6000	24200	17260
6.4L V-8 HEMI	A8 8HP75	3.73	9900	3420	6477	3688	2789	5500	6000	22000	15050
6.4L V-8 HEMI	A8 8HP75	4.10	9900	3420	6477	3688	2789	5500	6000	24200	17250
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	10000	2630	7368	4528	2840	5500	6000	27840	20000
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	9900	2520	7377	4534	2843	5500	6000	27840	19900

## RAM 2500 4X4 MEGA CAB: BIG HORN / LONE STAR W/ RAMBOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	3.73	10000	2810	7191	4073	3117	5500	6390	22000	14340
6.4L V-8 HEMI	A8 8HP75	4.10	10000	2810	7191	4073	3117	5500	6390	24200	16530
6.4L V-8 HEMI	A8 8HP75	3.73	9900	2710	7191	4073	3117	5500	6390	22000	14340
6.4L V-8 HEMI	A8 8HP75	4.10	9900	2710	7191	4073	3117	5500	6390	24200	16530
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	10000	1920	8076	4897	3179	6000	6040	24240	14480
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	9900	1820	8076	4897	3179	6000	6040	24240	13480

# 2022 Stellantis Product Info



## RAM 2500 4X4 MEGA CAB: BIG HORN / LONE STAR 6'4" BOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	3.73	10000	2940	7061	4061	3000	5500	6390	22000	14470
6.4L V-8 HEMI	A8 8HP75	4.10	10000	2940	7061	4061	3000	5500	6390	24200	16600
6.4L V-8 HEMI	A8 8HP75	3.73	9900	2840	7061	4061	3000	5500	6390	22000	14470
6.4L V-8 HEMI	A8 8HP75	4.10	9900	2840	7061	4061	3000	5500	6390	24200	16600
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	10000	2040	7963	4907	3055	6000	6040	24240	15620
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	9900	1940	7963	4907	3055	6000	6040	24240	14620

## RAM 2500 4X4 REGULAR CAB: TRADESMAN 8' BOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	3.73	10000	3690	6306	3686	2620	5500	6000	22000	15220
6.4L V-8 HEMI	A8 8HP75	4.10	10000	3690	6306	3686	2620	5500	6000	24200	17420
6.4L V-8 HEMI	A8 8HP75	3.73	9900	3580	6318	3693	2624	5500	6000	22000	15210
6.4L V-8 HEMI	A8 8HP75	4.10	9900	3580	6318	3693	2624	5500	6000	24200	17410
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	10000	2810	7194	4520	2673	5750	6000	27650	19980
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	9900	2710	7190	4523	2666	5750	6000	27650	19980

## RAM 2500 4X4 CREW CAB: POWER WAGON W/ RAMBOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	4.10	8565	1520	7045	4087	2958	4750	6200	18000	10440

## RAM 2500 4X4 CREW CAB: POWER WAGON 6'4" BOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	4.10	8565	1630	6939	4086	2852	4750	6200	18000	10590

# 2022 Stellantis Product Info



## RAM 2500 4X4 CREW CAB: TRADESMAN 8' BOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	3.73	10000	3170	6825	3995	2830	5500	6000	22000	14700
6.4L V-8 HEMI	A8 8HP75	4.10	10000	3170	6825	3995	2830	5500	6000	24200	16900
6.4L V-8 HEMI	A8 8HP75	3.73	9900	3080	6815	3992	2823	5500	6000	22200	14710
6.4L V-8 HEMI	A8 8HP75	4.10	9900	3080	6815	3992	2823	5500	6000	24200	16910
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	10000	2300	7698	4824	2874	5750	6000	26400	18230
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	9900	2200	7703	4827	2876	5750	6000	26400	17210

# 2022 Stellantis Product Info



## 2022 Ram 3500 Heavy Duty TOWING CHART

### RAM 3500 4X2 REGULAR CAB: TRADESMAN 8' BOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	3.73	14000	7680	6319	3396	2922	5500	9750	22600	15810
6.4L V-8 HEMI	A8 8HP75	4.10	14000	7680	6319	3396	2922	5500	9750	25000	18210
6.4L V-8 HEMI	A8 8HP75	3.73	10700	4640	6056	3414	2642	5500	7000	22000	15470
6.4L V-8 HEMI	A8 8HP75	4.10	10700	4640	6056	3414	2642	5500	7000	24200	17670
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	11500	4610	6893	4227	2666	5500	7000	28300	20940
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	14000	6830	7170	4225	2944	5500	9750	28300	20660
6.7L I-6 TURBO DIESEL	A6 68RFE	4.10	14000	6830	7170	4225	2944	5500	9750	30300	22660
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	13500	6330	7171	4225	2945	5500	9750	28300	20660
6.7L I-6 TURBO DIESEL	A6 68RFE	4.10	13500	6330	7171	4225	2945	5500	9750	30300	22660
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	11500	4490	7012	4290	2722	5500	7000	34630	26780
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	14000	6560	7440	4329	3110	5500	9750	41600	33690
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	4.10	14000	6560	7440	4329	3110	5500	9750	45000	37090
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	13500	6060	7441	4330	3111	5500	9750	41600	33690
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	4.10	13500	6060	7441	4330	3111	5500	9750	45000	35250

### RAM 3500 4X2 CREW CAB: TRADESMAN W/ RAMBOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	3.73	10700	4150	6545	3583	2961	5500	7000	22000	14980
6.4L V-8 HEMI	A8 8HP75	4.10	10700	4150	6545	3583	2961	5500	7000	24200	17180
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	11500	4030	7465	4454	3011	5500	7000	28300	20360
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	11500	3940	7560	4492	3067	5500	7000	32240	23130

# 2022 Stellantis Product Info



## RAM 3500 4X2 CREW CAB: TRADESMAN 6'4" BOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	3.73	10700	4280	6424	3617	2807	5500	7000	22200	15110
6.4L V-8 HEMI	A8 8HP75	4.10	10700	4280	6424	3617	2807	5500	7000	24200	17310
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	11500	4180	7320	4432	2888	5500	7000	28300	20510
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	11500	4080	7415	4470	2944	5500	7000	32240	24100

## RAM 3500 4X2 CREW CAB: TRADESMAN 8' BOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	3.73	11100	4510	6593	3742	2850	5500	7000	22000	14940
6.4L V-8 HEMI	A8 8HP75	4.10	11100	4510	6593	3742	2850	5500	7000	24200	17140
6.4L V-8 HEMI	A8 8HP75	3.73	14000	7050	6949	3763	3186	5500	9750	22600	15180
6.4L V-8 HEMI	A8 8HP75	4.10	14000	7050	6949	3763	3186	5500	9750	25000	17580
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	12000	4540	7463	4569	2893	5500	7000	28300	20370
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	14000	6180	7821	4568	3252	5500	9750	28300	20010
6.7L I-6 TURBO DIESEL	A6 68RFE	4.10	14000	6180	7821	4568	3252	5500	9750	30300	22010
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	13500	5680	7822	4569	3253	5500	9750	28300	20010
6.7L I-6 TURBO DIESEL	A6 68RFE	4.10	13500	5680	7822	4569	3253	5500	9750	30300	22010
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	12000	4440	7559	4616	2943	5500	7000	33670	25560
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	14000	5930	8066	4693	3372	5500	9750	41600	33060
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	4.10	14000	5930	8066	4693	3372	5500	9750	43000	34460
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	13500	5430	8067	4693	3373	5500	9750	41600	33060
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	4.10	13500	5430	8067	4693	3373	5500	9750	43000	33080

# 2022 Stellantis Product Info



## RAM 3500 4X4 MEGA CAB: BIG HORN / LONE STAR W/ RAMBOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	3.73	11400	4280	7123	4009	3113	5500	7000	22000	14110
6.4L V-8 HEMI	A8 8HP75	4.10	11400	4280	7123	4009	3113	5500	7000	24200	16610
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	12300	4110	8190	4953	3237	6000	7000	28300	19640
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	12300	3970	8326	5049	3276	6000	7000	32710	23300

## RAM 3500 4X4 MEGA CAB: BIG HORN / LONE STAR 6'4" BOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	3.73	14000	6630	7373	4033	3340	5500	9750	22600	14760
6.4L V-8 HEMI	A8 8HP75	4.10	14000	6630	7373	4033	3340	5500	9750	25000	17160
6.4L V-8 HEMI	A8 8HP75	3.73	11400	4340	7063	4049	3013	5500	7000	22000	14470
6.4L V-8 HEMI	A8 8HP75	4.10	11400	4340	7063	4049	3013	5500	7000	24200	16670
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	12300	4290	8006	4904	3101	6000	7000	28300	19820
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	14000	5660	8335	4876	3458	6000	9750	28300	19490
6.7L I-6 TURBO DIESEL	A6 68RFE	4.10	14000	5660	8335	4876	3458	6000	9750	30300	21490
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	13500	5160	8336	4876	3459	6000	9750	28300	19490
6.7L I-6 TURBO DIESEL	A6 68RFE	4.10	13500	5160	8336	4876	3459	6000	9750	30300	21490
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	12300	4130	8165	5013	3151	6000	7000	32710	24070
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	14000	5440	8557	5021	3536	6000	9750	41600	32570
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	4.10	14000	5440	8557	5021	3536	6000	9750	41955	32930
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	13500	4940	8559	5021	3537	6000	9750	41600	29810
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	4.10	13500	4940	8559	5021	3537	6000	9750	41955	29810

# 2022 Stellantis Product Info



## RAM 3500 4X4 REGULAR CAB: TRADESMAN 8' BOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	3.73	11000	4590	6407	3728	2679	5500	7000	22000	15120
6.4L V-8 HEMI	A8 8HP75	4.10	11000	4590	6407	3728	2679	5500	7000	24200	17320
6.4L V-8 HEMI	A8 8HP75	3.73	14000	7230	6769	3778	2991	5500	9750	22600	15360
6.4L V-8 HEMI	A8 8HP75	4.10	14000	7230	6769	3778	2991	5500	9750	25000	17760
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	14000	6400	7604	4540	3064	6000	9750	28300	20230
6.7L I-6 TURBO DIESEL	A6 68RFE	4.10	14000	6400	7604	4540	3064	6000	9750	30300	22230
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	11800	4510	7286	4552	2733	6000	7000	28300	20540
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	13500	5890	7606	4540	3065	6000	9750	28300	20220
6.7L I-6 TURBO DIESEL	A6 68RFE	4.10	13500	5890	7606	4540	3065	6000	9750	30300	22220
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	14000	6120	7880	4700	3180	6000	9750	41600	33250
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	4.10	14000	6120	7880	4700	3180	6000	9750	43000	34650
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	11800	4370	7434	4637	2797	6000	7000	34540	25970
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	13500	5620	7882	4700	3181	6000	9750	41600	33250
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	4.10	13500	5620	7882	4700	3181	6000	9750	43000	34320

## RAM 3500 4X4 CREW CAB: TRADESMAN W/ RAMBOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	3.73	11000	4140	6862	3871	2991	5500	7000	22000	14670
6.4L V-8 HEMI	A8 8HP75	4.10	11000	4140	6862	3871	2991	5500	7000	24200	16870
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	11800	4050	7750	4691	3059	6000	7000	28300	20080
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	11800	3870	7925	4803	3122	6000	7000	32580	23000



# 2022 Stellantis Product Info



## RAM 3500 4X4 CREW CAB: TRADESMAN 6'4" BOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	3.73	11000	4250	6745	3886	2859	5500	7000	22000	14780
6.4L V-8 HEMI	A8 8HP75	4.10	11000	4250	6745	3886	2859	5500	7000	24200	16980
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	11800	4190	7605	4693	2912	6000	7000	28300	20220
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	11800	4010	7789	4806	2982	6000	7000	32580	23600

## RAM 3500 4X4 CREW CAB: TRADESMAN 8' BOX

Engine	Transmissions	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	3.73	14000	6700	7295	4068	3226	5500	9750	22600	14830
6.4L V-8 HEMI	A8 8HP75	4.10	14000	6700	7295	4068	3226	5500	9750	25000	17230
6.4L V-8 HEMI	A8 8HP75	3.73	11400	4450	6952	4053	2899	5500	7000	22000	14580
6.4L V-8 HEMI	A8 8HP75	4.10	11400	4450	6952	4053	2899	5500	7000	24200	16780
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	12300	4490	7809	4856	2953	6000	7000	28300	20020
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	14000	5850	8149	4862	3287	6000	9750	28300	19680
6.7L I-6 TURBO DIESEL	A6 68RFE	4.10	14000	5850	8149	4862	3287	6000	9750	30300	21680
6.7L I-6 TURBO DIESEL	A6 68RFE	3.73	13500	5350	8150	4862	3288	6000	9750	28300	19680
6.7L I-6 TURBO DIESEL	A6 68RFE	4.10	13500	5350	8150	4862	3288	6000	9750	30300	21680
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	12300	4330	7974	4964	3010	6000	7000	33610	25120
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	14000	5580	8420	4996	3423	6000	9750	41600	32710
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	4.10	14000	5580	8420	4996	3423	6000	9750	43000	34070
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	3.73	13500	5080	8421	4996	3424	6000	9750	41600	30720
6.7L I-6 HO TURBO DIESEL	A6 AS69RC	4.10	13500	5080	8421	4996	3424	6000	9750	43000	30720



## NOTES

1. **Payload and Max Trailer Weights are ESTIMATED values.**
2. **All values are shown in pounds unless otherwise stated.**
3. **Payload and Max Trailer Weight values are rounded to the nearest 10 lb.**
4. **Payload = GVWR – Base Weight.**
5. **Payload and Trailer Weight Rating are mutually exclusive.**
6. **GAWRs, GVWRs and GCWRs should never be exceeded.**
7. **Trailer Weight Rating and Tow Vehicle Trailering Weight are calculated as specified in SAE J2807.**
  - Passenger Weight = 300 lb.
  - Options Weight = 100 lb.
  - Trailering Equipment Weight: 75 lb. for Conventional Hitch, 70 lb. for Gooseneck and 250 lb. for 5th Wheel.
  - Tongue weight: 10 percent of the gross trailer weight for Conventional Hitch, 15 percent of the gross trailer weight for a 5th Wheel or Gooseneck hitch.
  - Payload and GAWR should never be exceeded and must account for all of the above weights, including the appropriate trailering equipment and tongue weight.
  - Box Off Body Completion Weight = 80 lb. per foot from end of cab to end of frame.
8. **A fifth-wheel hitch is required for trailers over 23,000 lbs.**
9. **A Gooseneck hitch is required for trailers over 30,000 lbs.**
10. **Maximum Capability**

## WEIGHT TERM DEFINITIONS

### 33% option weight

Combined weight of all production installed options that have a projected sales volume of more than 33% and comply with EPA rules.

### Axle Ratio

The ratio between the driveshaft rpm and axle shaft rpm. The axle ratio is critical in the operation of the transmission/driveshaft/axle system that transmits engine torque to the driving wheels.

### Base Weight

The weight of a standard equipped sales unit (vehicle line, body style, GVWR, engine, transmission & electrification) with full quantities of fuel, lubricant & coolant.

### Gross Axle Weight Rating (GAWR)

The maximum weight to be carried by a single axle (front or rear).

### Gross Combined Weight Rating (GCWR)

The maximum allowable weight of the towing vehicle and the loaded trailer – including all cargo and passengers – that the vehicle can handle without risking damage.

### Gross Vehicle Weight Rating (GVWR)

The maximum allowable weight of the fully loaded vehicle.

### Payload

The combined maximum allowable weight of options, cargo and passengers that the truck is designed to carry.

### Tongue Weight

The weight a conventional trailer puts on the back of a tow vehicle. 10 percent of the trailer weight recommended for a conventional hitch trailer and 15 percent recommended for a gooseneck or fifth wheel trailer.

### Trailer Weight Rating (TWR)

The maximum allowable weight of a trailer plus cargo that a vehicle configuration can handle.

###